



Hammond Road • Elms Estate • Bedford MK41 0ND • England  
 Telephone: +44 (0) 1234 364411 • Fax: +44 (0) 1234 271486  
 Email: [info@terinex.co.uk](mailto:info@terinex.co.uk)  
 Website: [www.terinex.co.uk](http://www.terinex.co.uk)

## Declaration of Conformity/Declaration of Performance

Terinex Ltd, hereby declare that the material we deliver to your company, referenced

### Aluminium Foil:

Product Type: Cold rolled aluminium sheets, strips and plates

EN 15088:2005, Annex ZA  
 Declared Performance

|                              |                                      |               |
|------------------------------|--------------------------------------|---------------|
| Chemical Composition         | E                                    | EN 15088:2005 |
| Temper                       | 0, H14, H16, H18, H19, H22, H24, H26 |               |
| Mechanical Properties        |                                      |               |
| Yield Strength (min. Mpa)*   | 25 Mpa                               |               |
| Tensile Strength (min. Mpa)* | 65 Mpa                               |               |
| Elongation (min. %)*         | Min. % 1                             |               |
| Bending                      | 90° > 0,5, 180° > 1,0t               |               |

\*Determined values for mechanical properties is based on minimum production feasibility.  
 According to alloy, temper and thickness, mechanical properties are modified.

#### Product Standards and Tolerances

| Sheet (Coil)                                      | Plate  | Strip   |
|---|--|---|
| EN 485 1-2-3-4<br>EN 573-3<br>ASTM-B209 standards | EN 485 1-2-3-4<br>EN 1386<br>EN 573-3<br>ASTM-B209 standards | EN 485 1-2-3-4<br>EN 579-9<br>ASTM-B209 standards |

Regulated substance: No performance determined (NPD)

The product as above meets European Regulations EU 305/2011, EU 10/2011 and BS EN 602:2004

Aluminium foil is non-toxic; the naturally occurring oxide film protects the foil rendering the surface resistant to many foodstuffs. However, aluminium foil should not be used to cover humid, acidic or salty food on platters or in metal containers – as this can occasionally result in localised corrosion.

Fully annealed aluminium foil does not harbour or promote bacterial growth.

Aluminium foil does not absorb liquid or oils and imparts no odour or taint to packaged products.

The performance of the product identified above is in conformity with the Declared Performance. This declaration of performance (DoP) is issued under the sole responsibility of the manufacturer.

This certificate is valid 3 years after the date of its issue provided no new regulation comes into force and no modification of the product likely to modify the specifications is made during that period

Signed for and on behalf of Terinex Ltd

*S. Love*

Sabrina Love

QSHE Manager

Issue Date: September 2017

All reasonable care has been taken in the compilation of the information above. This information is given in good faith, and has been taken directly from technical documentation received from our raw material supplier based on their current state of knowledge. This certificate is only valid when the film is used in normal and foreseeable conditions, provided that the handling and storage conditions are also appropriate for preservation of the material's specific characteristics.